

JET-PRO<sup>®</sup> Soft Stretch Heat Transfer Papers are designed for the heat transfer of photos and images using ink jet printers to light colored T-shirts, sweatshirts, mousepads, coasters, puzzles and leather goods. Choose garments that have a tight weave. This is particularly important when transferring to sweatshirts.

## PRINTING

- 1. Mirror the image.
- 2. Load the paper so that the image will appear on the coated side of the paper.
- 3. Trim away the unprinted areas of the transfer if desired.

# TRANSFERRING Using A Commercial Heat Press

- Place the transfer on top of the garment with the image side down. Press: 30 seconds at 375°F using heavy pressure
- 2. Remove paper while still hot.

# WASHING INSTRUCTIONS

Garment *must be washed* to set inks within JetPro Soft Stretch emulsion layer! Turn garment inside out and wash in cold water using a mild detergent. Do not use bleach. Dry on low heat setting. Do not iron directly on the transferred area.

## STORAGE AND HANDLING OF JetPro Soft Stretch® HEAT TRANSFER PAPERS

Store JetPro Soft Stretch<sup>®</sup> Heat Transfer Papers in a cool, dry area and do not remove from carton or poly bag until you are ready to use.

Refer to <u>www.conde.com</u> for information on our entire line of heat transfer products.

#### **IMPORTANT**

We thoroughly test each of our products on various substrates using different transfer equipment (including many different hand irons). However, it is impossible for us to duplicate all variables using all substrates and transfer equipment. Therefore, it is essential that you test the paper prior to production using your equipment, methods, and substrate material. Heat presses vary in accuracy. Conduct tests to determine the best time and temperature to use with your equipment. Please keep in mind that the Seller's and Manufacturer's maximum obligation shall be to replace any paper that has proven to be defective. Neither the Seller nor the Manufacturer shall be liable for any injury, direct or consequential, arising out of the use of, or inability to use this paper.

Condé Systems, Inc. provides products that are intended for professional use only and for users who have read and understood the instructions for proper application. Please consult a qualified Condé technician for inquiries where further clarification is required. Improper use and installation will result in undersirable results in the imprinted item and damage to your heat press, printer components and other related equipment. Condé Systems, Inc. assumes no liability whatsoever, expressed or implied, for the use of these products, nor their installation. Condé Systems assumes no legal liability or responsibility for the accuracy, completeness or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately-owned rights. Past performance is not necessarily indicative of future results.

All instructions and product specifications are subject to change without notice. Please visit our web site at www.conde.com for pertinent updates.

Condé Systems, Inc. • www.conde.com • 5600 Commerce Boulevard East • Mobile, AL, USA • 36619-9214 • 800.826.6332 • +1.251.633.5704 All pricing is \$USD, F.O.B. origin and subject to change without notice. All products are subject to availability. May 27, 2010.