



Heat Transfer Paper

For Color Laser Copiers & CLC Class Printers
DO NOT USE IN MONOCHROME LASER PRINTERS !

C
L
C

E
L
I
T
E

P
L
U
S

I
N
S
T
R
U
C
T
I
O
N
S

P/N 607 CLC Elite Plus Transfer Paper 11"x17"

**ONE-STEP ELITE
FOR COLOR LASER COPIERS**
(For enhanced performance in color laser copiers)

STORAGE AND IMAGING CONDITIONS:

Humidity levels effect the performance of the copy machine and the paper. Best results occur at 50-70% relative humidity. For best results in printing and feeding, maintain reasonable climate control in your printing area, keep dry pack material, and return unused paper to its original package and keep sealed in its Ziplock bag. Dampness in the paper will cause poor quality of reproduction.

APPLICATION:

1. Determine which side of regular paper is imaged in your color laser copier (CLC). Place ONE-STEP paper in your CLC so that the blank coated side is imaged. Remember to mirror image on your CLC.
2. Set heat press at **350°-375°F** (190°-200° C.) Machines vary, so best to see what temperature works best with your machine.
3. Peel hot. For an even softer finish on knit fabrics, stretch shirt slightly after applying transfer.

APPLICATION TIMES:

T-shirts	100% cotton or 50-50	8-10 seconds
Sweatshirts		18-25 seconds
Mouse Pads		6-8 seconds
Puzzles		15 seconds
Nylon Jackets		4-6 seconds
Canvas tote bags		18-25 seconds

Note: For application to mouse pads/puzzles leave about ¼" of excess paper around the outside. This excess will be used as a tab to remove the paper. The image should cover the entire surface. Place some scrap plain paper on the base platen of your heat transfer machine. This will protect your platen from the excess image.

Other natural fiber items may also be printed.

IMPRINTED GARMENT CARE:

ONE-STEP produces an extremely soft hand print. This hand will continue to improve with washing. ONE-STEP garments can be ironed and the color will become more enhanced. Wash garment inside-out in warm or cool water. Do not use bleach.

800-826-6332
INTL **251-633-5704**

www.conde.com

EMAIL **info@conde.com**

FAX **251-633-3876**

The Seller's and Manufacturer's maximum obligation shall be to replace any paper which has been proven to be defective. Neither the Seller nor the Manufacturer of this product shall be liable for any injury, direct or consequential, arising out of the use of, or inability to use this paper.

BEFORE USING TRANSFER MATERIALS IN PRODUCTION BE SURE TO TEST THE PRODUCT TO DETERMINE ITS' SUITIBILITY FOR USE IN YOUR EQUIPMENT AND FOR YOUR APPLICATION. SAMPLES ARE AVAILABLE FOR TESTING